Sister Study Self-Reported Baseline and Incident Non-Cancerous Conditions: Data Release 6.0 (follow-up ending 9/15/16)

Condition	Baseline ¹	Unknown Timing ²	Incident
	N (%)	N (%)	N (%)
Cardio- and cerebrovascular conditions			
Heart attack	596 (1.2)	277 (0.5)	780 (1.5)
Heart failure	343 (0.7)	213 (0.4)	580 (1.1)
Angina	1,320 (2.6)	557 (1.1)	532 (1.0)
Stroke	390 (0.8)	242 (0.5)	1,279 (2.5)
Transient ischemic attack/	938 (1.8)	433 (0.9)	803 (1.6)
mini-stroke			
Metabolic			
Diabetes	3,068 (6.0)	726 (1.4)	2,728 (5.4)
Hypertension	14,443 (28.4)	1,905 (3.7)	6,743 (13.3)
High Cholesterol ³	17,088 (33.6)	6 (0.0)	269 (0.5) ³
Other			
Depression ⁴	10,909 (21.4)	5,212 (10.2)	2,277 (4.5) 4
Osteoporosis	11,541 (22.7)	1,395 (2.7)	1,792 (3.5)
Osteopenia ⁵	536 (1.1) ⁵	11,526 (22.7)	6,294 (12.4) ⁵
Parkinson's Disease	50 (0.1)	39 (0.1)	190 (0.4)

¹ Includes all reports of conditions occurring at or prior to baseline

² Unknown if diagnosis at or prior to baseline vs. post-baseline (i.e. incident case)

³ Asked directly only at baseline. Incident diagnoses are from help desk reports and open-ended questions on follow-ups [i.e. responses to "Any other health conditions? (Please specify)"]

⁴ Depression questions asked differently in baseline versus follow-ups. Baseline question: Has a doctor or physician ever told you that you have clinical depression? Follow-up question: Has a doctor or physician ever told you that you have depression?

⁵ Asked directly only at follow-ups, not at baseline. Baseline diagnoses are based on post-baseline reports of conditions that were specified to have occurred at or prior to baseline [i.e. help desk reports and open-ended questions on follow-ups (as above)]